Author Index

Anderson, I. E., 31
Angers, R., 223
de Arellano-Lopéz, A. R., 151

Biancaniello, F. S., 9, 21
Biederman, R. R., 55
Bigot, J., 241
Březina, J., L7
Brezny, R., 151

Casuccio, G. S., 49
Chang, E., 215, 233
Chang, T. C., 215
Chao, C. H., 215
Chieu, C. F., 233
Choi, I. D., L15
Christ, H.-J., 125
Chumbley, L. S., L19
Conway, J. J., 9
Courtney, T. H., 141

Dam, C. Q., 151
Delmore, J. E., 15
Deyong, L., 223
Dominguez-Rodriguez, A., 151
Don, J., 259

Eigenmann, B., 1
Espina, P. I., 9
Estrin, Y., L11

Flinn, J. E., 39

Gan, W.-P., 211
Giese, A., L11
Goretta, K. C., 151
Green, D. J., 151

Harmelin, M., 241
Hong, S. I., 183

Isomoto, T., 171

Jayaram, V., 65
Jin, Z.-P., 211
Ju, C. P., 259

Kim, M. R., L19
Kniseley, R. N., 31
Korth, G. E., 1
Kramer, M. J., L19

Laabs, F. C., L19
Laird, C., 183
Lee, Y. W., 233
Leng, Y., 141
Lentz, H. P., 49
Levi, C. G., 65, 83
Lloyd, D. J., 103
Lulay, K. E., 103

Matlock, D. K., L15
Mattingly, G. E., 9
McCullough, C., 83
Mehrabian, R., 65, 83
Merkle, B. D., 31
Mershon, W. J., 49
Morra, J. M., 55
Morra, M. M., 55
Mughrabi, H., 125

Obrtlík, K., L7
Olson, D. L., L15

Petry, F., 125
Polák, J., L7
Presser, C., 21

Qiu, C., 211

Rabin, B. H., 1
Rabinkin, A., 251
Raj, S. V., 113
Ridder, S. D., 9, 21

Schmidt, F. A., 31
Schwoeble, A. J., 49
Senior, B. A., 159
Smolik, G. R., 1, 15, 39
Stoloff, N. S., 171
Styczynski, A., L11
Sun, P.-Z., 203
Sundararajan, G., 133

Taya, M., 103
Tirupataiah, Y., 133
Tremblay, R., 223

Valencia, J. J., 83
Venkataraman, B., 133

Wakashima, K., 103
Whitney, T., 65
Whittenberger, J. D., 113
Wu, B. C., 215

Xie, C.-S., 203

Yilmaz, F., L1

Zauter, R., 125
Zhao, J.-S., 203
Zhou, Y.-H., 241

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Alloys
  analytical method for inert gases in alloy powders, 15
  melting characteristics, glass-forming ability and stability of Ni–Pd–Si and Ni–Pd–TM–Si alloys in the concentration range 10–22 at.% Si, 251
  role of solidus velocity in the feeding behaviour of Al–7Si–0.3Mg alloy plate castings, 233
  structure and properties of directionally solidified Al–Si hypereutectic alloys, L1
Aluminium
  Bauschinger effect in particulate SiC–6061 aluminum composites, 103
  characterization of Al_2O_3–ZrO_2 powders produced by electrohydrodynamic atomization, 65
  cyclic deformation behavior of Cu–16at.%Al single crystals
    I: strain burst behavior, 183
  cyclic hardening behaviour of polycrystalline aluminium under tension–compression, L11
  high temperature mechanical behavior of porous open-cell Al_2O_3, 151
  microstructural analysis of rapidly solidified Ti–Al–X powders, 83
  role of solidus velocity in the feeding behaviour of Al–7Si–0.3Mg alloy plate castings, 233
  structure and properties of directionally solidified Al–Si hypereutectic alloys, L1
Aluminizing
  effects of bond coat pre-aluminizing treatment on the properties of ZrO_2–8wt.%Y_2O_3/Co–29Cr–6Al–1Y thermal barrier coatings, 215
Astroloy
  effect of microstructure and temperature on high cycle fatigue of powder metallurgy Astroloy, 171

Barium
  superconducting $YBa_2Cu_3O_x$ particulate produced by total consumption burner processing, 31
Bauschinger effect
  Bauschinger effect in particulate SiC–6061 aluminum composites, 103

Calcium
  deformation of as-cast LiF–22mol.%CaF_2 hypereutectic salt between 500 and 1015 K, 113
Carbon
  basal plane orientation of polyacrylonitrile fibers in a commercial polyacrylonitrile–pitch carbon–carbon composite, 259
  Bauschinger effect in particulate SiC–6061 aluminum composites, 103
  study of the isothermal section of the W–Ni–Co system at 1300 °C, 211
Centrifugal atomization
  intrinsic features of Fe–40wt.%Ni powders prepared by centrifugal or vacuum gas atomization, 39
Chromium
  effects of bond coat pre-aluminizing treatment on the properties of ZrO_2–8wt.%Y_2O_3/Co–29Cr–6Al–1Y thermal barrier coatings, 215
Cobalt
  effects of bond coat pre-aluminizing treatment on the properties of ZrO_2–8wt.%Y_2O_3/Co–29Cr–6Al–1Y thermal barrier coatings, 215
Composites
  analysis of diffusion-induced porosity in Cu–Ni laminate composites, L15
  basal plane orientation of polyacrylonitrile fibers in a commercial polyacrylonitrile–pitch carbon–carbon composite, 259
  Bauschinger effect in particulate SiC–6061 aluminum composites, 103
  ineffective lengths in metal matrix composites, 141
Compression
  cyclic hardening behaviour of polycrystalline aluminium under tension–compression, L11
Copper
  analysis of diffusion-induced porosity in Cu–Ni laminate composites, L15
  cyclic deformation behavior of Cu–16at.%Al single crystals
    I: strain burst behavior, 183
  hardness of fatigued copper polycrystals and their relation to their dislocation structure, L7
  microstructural and mechanical properties of rapidly solidified Cu–Ni–Sn alloys, 223
  superconducting $YBa_2Cu_3O_x$ particulate produced by total consumption burner processing, 31
Creep
  high temperature creep behaviour and microstructure development of AISI 304L stainless steel, 125

Deformation
  constitutive relationships for the time-dependent deformation of precipitation-hardened metals, 159
  cyclic deformation behavior of Cu–16at.%Al single crystals
    I: strain burst behavior, 183
  deformation of as-cast LiF–22mol.%CaF_2 hypereutectic salt between 500 and 1015 K, 113
Die steel
  approach to developing a hot-work die steel for high-temperature application, 203
Diffusion
  analysis of diffusion-induced porosity in Cu–Ni laminate composites, L15
Dislocations
  hardness of fatigued copper polycrystals and their relation to their dislocation structure, L7

Elastic rebound
  nature of the elastic rebound of a hard ball impacting on ductile, metallic target materials, 133

© Elsevier Sequoia/Printed in The Netherlands

Electrohydrodynamic atomization
characterization of Al_2O_3–ZrO_2 powders produced by electrohydrodynamic atomization, 65
Entrapped gases
characterization of entrapped gases in rapidly solidified powders, 1

Fatigue
effect of microstructure and temperature on high cycle fatigue of powder metallurgy Astroloy, 171
hardness of fatigued copper polycrystals and their relation to their dislocation structure, L7
Feeding behaviour
role of solidus velocity in the feeding behaviour of Al–7Si–0.3Mg alloy plate castings, 233
Fine particles
microimaging and off-line microscopy of fine particles and inclusions, 49
Fluorine
deformation of as-cast LiF–22mol.%CaF_2 hypereutectic salt between 500 and 1015 K, 113

Gas atomization
intrinsic features of Fe–40wt.%Ni powders prepared by centrifugal or vacuum gas atomization, 39
particle size measurement of inert-gas-atomized powder, 9
real-time particle size analysis during inert gas atomization, 21
Glass forming
melting characteristics, glass-forming ability and stability of Ni–Pd–Si and Ni–Pd–TM–Si alloys in the concentration range 10–22 at.% Si, 251

Hardening
constitutive relationships for the time-dependent deformation of precipitation-hardened metals, 159
cyclic hardening behaviour of polycrystalline aluminium under tension–compression, L11
Hardness
hardness of fatigued copper polycrystals and their relation to their dislocation structure, L7
Hot working
approach to developing a hot-work die steel for high-temperature application, 203
Hypereutectics
deformation of as-cast LiF–22mol.%CaF_2 hypereutectic salt between 500 and 1015 K, 113
structure and properties of directionally solidified Al–Si hypereutectic alloys, L1

Impacting
nature of the elastic rebound of a hard ball impacting on ductile, metallic target materials, 133
Inclusions
microimaging and off-line microscopy of fine particles and inclusions, 49
Ineffective lengths
ineffective lengths in metal matrix composites, 141
Inert gases
analytical method for inert gases in alloy powders, 15
particle size measurement of inert-gas-atomized powder, 9
real-time particle size analysis during inert gas atomization, 21
Iron
intrinsic features of Fe–40wt.%Ni powders prepared by centrifugal or vacuum gas atomization, 39
martensitic transformation in ultrafine Fe–Ni powders, 241
Isothermal sections
study of the isothermal section of the W–Ni–Co system at 1300 °C, 211

Lithium
deformation of as-cast LiF–22mol.%CaF_2 hypereutectic salt between 500 and 1015 K, 113

Magnesium
role of solidus velocity in the feeding behaviour of Al–7Si–0.3Mg alloy plate castings, 233
Martensite
martensitic transformation in ultrafine Fe–Ni powders, 241
Mechanical behavior
high temperature mechanical behavior of porous open-cell Al_2O_3, 151
Mechanical properties
microstructural and mechanical properties of rapidly solidified Cu–Ni–Sn alloys, 223
Melting characteristics
melting characteristics, glass-forming abilty and stability of Ni–Pd–Si and Ni–Pd–TM–Si alloys in the concentration range 10–22 at.% Si, 251
Microimaging
microimaging and off-line microscopy of fine particles and inclusions, 49
Microstructure
effect of microstructure and temperature on high cycle fatigue of powder metallurgy Astroloy, 171
high temperature creep behaviour and microstructure development of AISI 304L stainless steel, 125
microstructural analysis of rapidly solidified Ti–Al–X powders, 83
microstructural and mechanical properties of rapidly solidified Cu–Ni–Sn alloys, 223

Nickel
analysis of diffusion-induced porosity in Cu–Ni laminate composites, L15
intrinsic features of Fe–40wt.%Ni powders prepared by centrifugal or vacuum gas atomization, 39
martensitic transformation in ultrafine Fe–Ni powders, 241
melting characteristics, glass-forming ability and stability of Ni–Pd–Si and Ni–Pd–TM–Si alloys in the concentration range 10–22 at.% Si, 251
microstructural and mechanical properties of rapidly solidified Cu–Ni–Sn alloys, 223
study of the isothermal section of the W–Ni–Co system at 1300 °C, 211

Off-line microscopy
microimaging and off-line microscopy of fine particles and inclusions, 49
Oxygen
characterization of Al_2O_3–ZrO_2 powders produced by electrohydrodynamic atomization, 65
effects of bond coat pre-aluminizing treatment on the properties of ZrO_2–8wt.%Y_2O_3/Co–29Cr–6Al–1Y thermal barrier coatings, 215
high temperature mechanical behavior of porous open-cell Al_2O_3, 151
superconducting $YBa_2Cu_3O_x$ particulate produced by total consumption burner processing, 31

Palladium
melting characteristics, glass-forming ability and stability of Ni–Pd–Si and Ni–Pd–TM–Si alloys in the concentration range 10–22 at.% Si, 251
Particle size analysis
particle size measurement of inert-gas-atomized powder, 9
real-time particle size analysis during inert gas atomization, 21
Phase transformation
martensitic transformation in ultrafine Fe–Ni powders, 241
Polyacrylonitrile
basal plane orientation of polyacrylonitrile fibers in a commercial polyacrylonitrile–pitch carbon–carbon composite, 259
Polycrystals
cyclic hardening behaviour of polycrystalline aluminium under tension–compression, L11
hardness of fatigued copper polycrystals and their relation to their dislocation structure, L7
Powder metallurgy
effect of microstructure and temperature on high cycle fatigue of powder metallurgy Astroloy, 171
Powders
analytical method for inert gases in alloy powders, 15
characterization of Al_2O_3–ZrO_2 powders produced by electrohydrodynamic atomization, 65
characterization of entrapped gases in rapidly solidified powders, 1
intrinsic features of Fe–40wt.%Ni powders prepared by centrifugal or vacuum gas atomization, 39
martensitic transformation in ultrafine Fe–Ni powders, 241
microstructural analysis of rapidly solidified Ti–Al–X powders, 83
particle size measurement of inert-gas-atomized powder, 9
technique for the preparation of powders for examination by transmission electron microscopy, 55
Precipitation
constitutive relationship for the time-dependent deformation of precipitation-hardened metals, 159

Rapid solidification
characterization of entrapped gases in rapidly solidified powders, 1
microstructural analysis of rapidly solidified Ti–Al–X powders, 83

Salts
deformation of as-cast LiF–22mol.%CaF_2 hypereutectic salt between 500 and 1015 K, 113
Silicon
Bauschinger effect in particulate SiC–6061 aluminum composites, 103
melting characteristics, glass-forming ability and stability of Ni–Pd–Si and Ni–Pd–TM–Si alloys in the concentration range 10–22 at.% Si, 251
role of solidus velocity in the feeding behaviour of Al–7Si–0.3Mg alloy plate castings, 233
structure and properties of directionally solidified Al–Si hypereutectic alloys, L1
Single crystals
cyclic deformation behavior of Cu–16at.%Al single crystals
I: strain burst behavior, 183
Solidification
microstructural and mechanical properties of rapidly solidified Cu–Ni–Sn alloys, 233
structure and properties of directionally solidified Al–Si hypereutectic alloys, L1
Solidus velocity
role of solidus velocity in the feeding behaviour of Al–7Si–0.3Mg alloy plate castings, 233
Stainless steel
high temperature creep behaviour and microstructure development of AISI 304L stainless steel, 125
Strain
cyclic deformation behavior of Cu–16at.%Al single crystals
I: strain burst behavior, 183
Structure
structure and properties of directionally solidified Al–Si hypereutectic alloys, L1
Superconduction
superconducting $YBa_2Cu_3O_x$ particulate produced by total consumption burner processing, 31

Tension
cyclic hardening behaviour of polycrystalline aluminium under tension–compression, L11
Tin
microstructural and mechanical properties of rapidly solidified Cu–Ni–Sn alloys, 223
Titanium
microstructural analysis of rapidly solidified Ti–Al–X powders, 83
Total consumption burners
superconducting $YBa_2Cu_3O_x$ particulate produced by total consumption burner processing, 31
Transmission electron microscopy
technique for the preparation of powders for examination by transmission electron microscopy, 55
Tungsten
study of the isothermal section of the W–Ni–Co system at 1300 °C, 211
Twin spacing
estimation of twin wall energy by measurement of twin spacing, L19
Twin wall energy
estimation of twin wall energy by measurement of twin spacing, L19

Yttrium
effects of bond coat pre-aluminizing treatment on the properties of ZrO_2–8wt.%Y_2O_3/Co–29Cr–6Al–1Y thermal barrier coatings, 215
superconducting $YBa_2Cu_3O_x$ particulate produced by total consumption burner processing, 31

Zirconium
characterization of Al_2O_3–ZrO_2 powders produced by electrohydrodynamic atomization, 65
effects of bond coat pre-aluminizing treatment on the properties of ZrO_2–8wt.%Y_2O_3/Co–29Cr–6Al–1Y thermal barrier coatings, 215